



Bank Polski

iPKO biznes  
pain.001.001.09 structure

## Table of contents

General information .....	3
File parameters .....	3
Allowed characters in the file.....	3
Structure of an XML file.....	4
Defining types of transfers .....	5
GroupHeader <GrpHdr>.....	6
Payment block - PaymentInformation <PmtInf> .....	7
Transfer details - CreditTransferTransactionInformation <CdtTrfTxInf> .....	13
Other information.....	26
Payment purpose code — transfers sent to certain countries.....	26
Collective booking .....	26
Negotiated transactions.....	27
LEI of the transfer beneficiary.....	27
Email address for transfer confirmation .....	28
Useful links .....	29
Sent transfer example .....	29
SEPA transfer example .....	31

# General information

This document describes the structure of the pain.001.001.09 file, which can be used to import transfers into the iPKO biznes electronic banking system.

## File parameters

- The pain.001.001.09 format is based on the ISO 20022 standard,
- The imported file must comply with the pain.001.001.09.xsd schema  
<https://www.iso20022.org/iso-20022-message-definitions>
- The format allows importing domestic, foreign and Intra-Bank transfers,
- It is possible to specify the booking type: single or collective,
- A single file may contain different types of transfers,
- We recommend including a maximum of 5000 transfers per file,
- Maximum file size: 99 MB,
- Supported character encoding: UTF-8,
- The file may have any name.

## Allowed characters in the file

abcdefghijklmnopqrstuvwxyz

ABCDEFGHIJKLMNOPQRSTUVWXYZ

0123456789

/ - ( ) . ,

Space

@ – only in the email address field.

Some fields, such as the LEI code, may have more restrictive validations than those listed above. Such information is provided in the descriptions of the respective fields.

# Structure of an XML file

## Notation

[1..1] – the first digit specifies whether the field is mandatory. 1 means the field is required, 0 means it is optional. The second digit specifies how many times the field may appear in the file. In this case, the field is required and appears exactly once.

[0..1] – indicates an optional field that may appear only once.

[1..\*] – indicates a required field. The asterisk (\*) means it may appear multiple times.

SEQ	Name of the XML tag / element	Number of occurrences, requirement level	Comment
1	<?xml version="1.0" encoding="UTF-8"?>	[1..1]	Start of file
2	<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.09" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">	[1..1]	Message root
3	<CstmrCdtTrfInitn>	[1..1]	Line opening the payment blocks section
4	<GrpHdr>	[1..1]	Line opening the header
5	</GrpHdr>	[1..1]	Line closing the header
6	<PmtInf>	[1..*]	Line opening the payment block
7	<CdtTrfTxInf>	[1..*]	Line opening the single transaction section
8	</CdtTrfTxInf>	[1..*]	Line closing the single transaction section
9	</PmtInf>	[1..*]	Line closing the payment block
10	</CstmrCdtTrfInitn>	[1..1]	Line closing the payment blocks section
11	</Document>	[1..1]	End of file

## Defining types of transfers

Defining types of transfers (e.g., domestic transfer, foreign transfer, etc.) can be done at the payment block level as well as at the individual transfer level. If both values are provided, the value at the individual transfer level takes priority.

You may omit specifying the transfer type in the file when importing into the iPKO biznes system. In such a case, the type is selected on the system screen.

Transfer type	Field at the payment block leve <PmtPlnf>	Field at the transfer level <CdtTrfTxInf>
SEPA transfer	<PmtPlnf><SvcLvl><Cd>SEPA</Cd> or <PmtPlnf><SvcLvl><Prtry>7</Prtry>	<CdtTrfTxInf><PmtPlnf><SvcLvl><Cd>SEPA</Cd> or <CdtTrfTxInf><PmtPlnf><SvcLvl><Prtry>7</Prtry>
SEPA Instant Payment*	<PmtPlnf><SvcLvl><Cd>INST</Cd> or <PmtPlnf><SvcLvl><Prtry>8</Prtry>  OR <PmtPlnf><SvcLvl><Cd>SEPA</Cd> and at the same time <PmtPlnf><LclInstrm><Cd>INST</Cd>	<CdtTrfTxInf><PmtPlnf><SvcLvl><Cd>INST</Cd> or <CdtTrfTxInf><PmtPlnf><SvcLvl><Prtry>8</Prtry>  OR <CdtTrfTxInf><PmtPlnf><SvcLvl><Cd>SEPA</Cd> and at the same time <CdtTrfTxInf><PmtPlnf><LclInstrm><Cd>INST</Cd>
Foreign transfer	<PmtPlnf><SvcLvl><Prtry>9</Prtry>	<CdtTrfTxInf><PmtPlnf><SvcLvl><Prtry>9</Prtry>
Foreign transfer (automatic mode)**	<PmtPlnf><SvcLvl><Prtry>10</Prtry>	<CdtTrfTxInf><PmtPlnf><SvcLvl><Prtry>10</Prtry>
SWIFT GPI foreign transfer	<PmtPlnf><SvcLvl><Prtry>11</Prtry>	<CdtTrfTxInf><PmtPlnf><SvcLvl><Prtry>11</Prtry>
Sent transfer	<PmtPlnf><SvcLvl><Prtry>12</Prtry>	<CdtTrfTxInf><PmtPlnf><SvcLvl><Prtry>12</Prtry>
Regis transfer	<PmtPlnf><SvcLvl><Prtry>13</Prtry>	<CdtTrfTxInf><PmtPlnf><SvcLvl><Prtry>13</Prtry>

\* The bank will inform about the availability of the transfer in a notice published on the bank's website

\*\* The iPKO biznes system will automatically determine the type of foreign transfer and its execution mode.

## GroupHeader <GrpHdr>

Number of occurrences: [1..] – means the field is required. [0..] – optional field. [1..\*] – the field may appear multiple times. [1..1] – the field appears only once within a given section. [0-9]{1,15} – means that digits from 0–9 are allowed, minimum one digit, maximum fifteen.

Field name	XML tag	Number of occurrences	Additional information	Sample value
+Group Header	<GrpHdr>	[1..1]		
++Message Identification	<MsgId>	[1..1]	File identifier containing the transactions. Any string of characters. The value is not validated by the Bank. text{1,35}	A1234
++CreationDateTime	<CreDtTm>	[1..1]	Creation date of the file. Format: YYYY-MM-DDTHH:MM:SS	2026-04-05T15:23:11
++NumberOfTransactions	<NbOfTxs>	[1..1]	Number of transactions in the file. The number of transactions in the file is not validated.	11
++InitiatingParty	<InitgPty>	[1..1]		
+++Name	<Nm>	[1..1]	Name of the ordering party. The value is not validated, but it is required. text{1,70}	Company name

### Example of Message root + Group Header

```
<?xml version="1.0" encoding="UTF-8"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.09" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <CstmrCdtTrfInittn>
    <GrpHdr>
      <MsgId>A12345</MsgId>
      <CreDtTm>2026-05-10T16:10:02</CreDtTm>
      <NbOfTxs>11</NbOfTxs>
      <InitgPty>
        <Nm> Company name </Nm>
      </InitgPty>
    </GrpHdr>
```

## Payment block - PaymentInformation <PmtInf>

A block containing transactions includes a set of transfers that debit a single account.

Field name	XML tag	Number of occurrences	Additional information	Sample value
+PaymentInformation	<PmtInf>	[1..*]		
++PaymentInformationIdentification	<PmtInfId>	[1..1]	Transaction batch identifier. Any string of characters. The value is not validated by the Bank. text{1,35}	A1234
++PaymentMethod	<PmtMtd>	[1..1]	Required constant value: TRF CodeSet	TRF
++BatchBooking	<BtchBookg>	[0..1]	The field allows defining the booking type – analytical or collective. If the field is not present (it is optional), the batch will be posted analytically. Collective posting applies to foreign transfers, excluding Intra-Bank transfers and PLN Foreign transfers to Poland.  Possible values: false – analytical posting true – collective posting  Note – uppercase letters should not be used.	Allowed values: true false
++PaymentTypeInformation	<PmtTpInf>	[0..1]	<b>Note:</b> data at the individual transaction level has higher priority and overrides the value from the payment block.	
+++InstructionPriority	<InstrPrty>	[0..1]	The value specifies the execution mode for foreign transfers. It does not apply to Sent and Regis transfers, Intra-Bank transfers, PLN Foreign transfers to Poland, SEPA Instant	Allowed values: NORM HIGH

			<p>Payments, or SWIFT GPI transfers (which are always executed in Overnight mode).</p> <p>If the field is missing in the file, SPOT (D+2) will be applied, and in the case of SEPA, Tomnext (D+1) will be used.</p> <p>NORM = Tomnext (D+1) HIGH = Overnight (D+0) CodeSet</p>	
+++ServiceLevel	<SvcLvl>	[1*..1]	<p>*Specifying the transfer type is required. You may provide the value at the payment block level or at the transfer details level.</p> <p>In the case of iPKO biznes, you may omit specifying the transfer type in the file and enter the value directly in the system screen.</p>	
++++Code	<Cd>	[1*..1]	<p>The field allows declaring a SEPA transfer or an SEPA Instant Payment (INST). Additionally, the field allows declaring a SEPA transfer executed in express mode (Overnight D+0). In such a case, the value URGP must be provided.</p> <p>You may use this field or the field below. CodeSet</p>	<p>Allowed values:</p> <p>SEPA INST URGP</p>
++++Proprietary	<Prtry>	[1*..1]	<p>Using this field, the transfer type is specified.</p> <p>7 = SEPA transfer 8 = SEPA Instant Payment 9 = foreign transfer 10 = foreign transfer (automatic mode) 11 = SWIFT GPI foreign transfer 12 = Sent transfer 13 = Regis transfer</p> <p>In the case of iPKO biznes, the field may be omitted in the file and the value can</p>	<p>Sample values:</p> <p>7 8 9 etc.</p>

			be selected on the transfer import screen. text{1,35}	
+++LocalInstrument	<LclInstrm>	[0..1]		
++++Code	<Cd>	[1..1]	Using this field, the transfer type can be specified as an SEPA Instant Payment. In such a case, the value SEPA must be provided in the <SvcLvl><Cd> field, and at the same time the value INST must be provided in <LclInstrm><Cd>.	INST
++RequestedExecutionDate	<ReqdExctnDt>	[1..1]		
+++Date	<Dt>	[1..1]	Execution date of the transaction block, in the format YYYY-MM-DD. A past date will be replaced with the current date.	2026-04-05
++Debtor	<Dbtr>	[1..1]		
+++Name	<Nm>	[1..1]	Debtor name text{1,140}	Company name
++DebtorAccount	<DbtrAcct>	[1..1]		
+++Identification	<Id>	[1..1]		
++++IBAN	<IBAN>	[1..1]	Debited account – IBAN format IBAN (ISO 13616)	RO00BPKO0000111122 223333
++DebtorAgent	<DbtrAgt>	[1..1]		
+++FinancialInstitutionIdentification	<FinInstnId>	[1..1]		
++++BICFI	<BICFI>	[1..1]	BIC code of PKO Bank Polski S.A. Varsovia, Sucursala Bucuresti ISO 9362 8 or 11 characters	BPKOROBU
++UltimateDebtor	<UltmtDbtr>	[0..1]	<b>Note:</b> the field is currently not supported. The Bank will announce its availability in a communication. Data at the individual transaction level overrides this section.	
+++Name	<Nm>	[1..1]	Ultimate debtor name	Company name

			text{1,70}	
+++PostalAddress	<PstAdr>	[0..1]		
++++StreetName	<StrtNm>	[0..1]	Ultimate Debtor's street name text{1,70}	Świętokrzyska
++++BuildingNumber	<BldgNb>	[0..1]	Ultimate Debtor's building number text{1,16}	36
++++Room	<Room>	[0..1]	Ultimate Debtor's room number text{1,70}	5
++++PostCode	<PstCd>	[0..1]	Ultimate Debtor's postal code text{1,16}	02-515
++++TownName	<TwnNm>	[0..1]	Ultimate Debtor's city text{1,35}	Warszawa
++++Country	<Ctry>	[0..1]	Ultimate Debtor's country ISO 3166, Alpha-2 code	PL
+++Identification	<Id>	[0..1]		
++++OrganisationIdentification	<OrgId>	[1*..1]	*Placing the tag means that at least one identifier must be provided. It is possible to provide two identifiers within <OrgId>, for example LEI and CUI.	
+++++LEI	<LEI>	[1*..1]	LEI code is a 20-character alphanumeric unique identifier of a legal entity.  LEI field specification: [A-Z0-9]{18,18}[0-9]{2,2} ISO 17442 standard.  Allowed characters a b c d e f g h i j k l m n o p q r s t u v w x y z A B C D E F G H I J K L M N O P Q R S T U V W X Y Z  0 1 2 3 4 5 6 7 8 9 ISO 17442	14930014UKLVMY22DS 11
+++++Other	<Othr>	[1*..1]		

+++++Identification	<Id>	[1*..1]	Other identifier of a legal entity, e.g., CUI. text{1,35}	
++++PrivatIdentification	<PrvtId>	[1*..1]		
+++++Other	<Othr>	[1*..1]		
+++++Identification	<Id>	[1*..1]	Other identifier of a natural person, e.g. CNP. text{1,35}	2950512301234
++ChargeBearer	<ChrgBr>	[0..1]	Cost clause, field ignored for Sent and Regis transfers, Intra-Bank transfers and PLN Foreign transfers to Poland. A clause provided at the individual transaction level overrides this value.  If an foreign transfer is declared and the field is missing, the value SHA is applied.	Allowed values: DEBT CRED SHAR SLEV
++ChargesAccount	<ChrgsAcct>	[0..1]	Applies only to foreign transfers, excluding Intra-Bank transfers and PLN Foreign transfers to Poland.	
+++Identification	<Id>	[1..1]		
++++IBAN	<IBAN>	[1..1]	Fee account – IBAN format The account specified at the individual transaction level overrides this value. If the field is missing, the system will use the account from the <DbtrAcct> field for charging fees. IBAN (ISO 13616)	RO00BPKO0000111122 223333

## Example of PaymentInformation <PmtInf>

```
<PmtInf>
  <PmtInfId>A1234</PmtInfId>
  <PmtMtd>TRF</PmtMtd>
  <PmtTpInf>
    <SvcLvl>
      <Prtry>12</Prtry>
    </SvcLvl>
  </PmtTpInf>
  <ReqdExctnDt>
    <Dt>2026-04-05</Dt>
  </ReqdExctnDt>
  <Dbtr>
    <Nm>Company name</Nm>
  </Dbtr>
  <DbtrAcct>
    <Id>
      <IBAN> RO00BPKO0000111122223333</IBAN>
    </Id>
  </DbtrAcct>
  <DbtrAgt>
    <FinInstnId>
      <BICFI>BPKOROBU</BICFI>
    </FinInstnId>
  </DbtrAgt>
```

## Transfer details - CreditTransferTransactionInformation <CdtTrfTxInf>

Section contains the data of individual transfers.

Field name	XML tag	No. of occurrences	Additional information	Sample value
+CreditTransferTransactionInformation	<CdtTrfTxInf>	[1..*]		
++PaymentIdentification	<PmtId>	[1..1]		
+++InstructionIdentification	<InstrId>	[0..1]	Client-assigned transaction identifier. text{1,35}	A12345
+++EndToEndIdentification	<EndToEndId>	[1..1]	Reference number of the transaction. Since the field is required, if no number is available, the phrase NOTPROVIDED may be entered. text{1,35}	A12345 NOTPROVIDED
++PaymentTypeInformation	<PmtPlnInf>	[1..1]		
+++InstructionPriority	<InstrPrty>	[0..1]	The value specifies the execution mode for foreign transfers. It does not apply to Sent and Regis transfers, Intra-Bank transfers or PLN Foreign Transfers to Poland, SEPA Instant Payment, SWIFT GPI transfers (which are always Intra-Bank transfers executed in Overnight mode). If the field is missing in the file, SPOT (D+2) will be applied, and in the case of SEPA, Tomnext (D+1) will be used.  NORM = Tomnext (D+1) HIGH = Overnight (D+0)	Allowed values: NORM HIGH

			CodeSet	
+++ServiceLevel	<SvcLvl>	[1*..1]	**Specifying the transfer type is required. You may provide the value at the payment block level or at the transfer details level. In the case of iPKO biznes, you may omit specifying the transfer type in the file and enter the value directly in the system screen.	
++++Code	<Cd>	[1*..1]	<p>The field allows declaring a SEPA transfer or an SEPA Instant Payment (INST). Additionally, the field allows declaring a SEPA transfer executed in express mode (Overnight D+0). In such a case, the value URGP must be provided.</p> <p>You may use this field or the field below.</p> <p>CodeSet</p>	<p>Allowed values:</p> <p>SEPA INST URGP</p>
++++Proprietary	<Prtry>	[1*..1]	<p>Using this field, the transfer type is specified.</p> <p>7 = SEPA transfer 8 = SEPA Instant Payment 9 = foreign transfer 10 = foreign transfer (automatic mode) 11 = SWIFT GPI foreign transfer 12 = Sent transfer 13 = Regis transfer</p> <p>In the case of iPKO biznes, the field may be omitted in the file and the value can be selected on the transfer import screen.</p> <p>text{1,35}</p>	<p>Sample values:</p> <p>7 8 9 etc.</p>
+++LocalInstrument	<LclInstrm>	[0..1]		

++++Code	<Cd>	[1..1]	Using this field, the transfer type can be specified as an SEPA Instant Payment. In such a case, the value SEPA must be provided in the <SvclVl><Cd> field, and at the same time the value INST must be provided in <LclInstrm><Cd>.	INST
+++CategoryPurpose	<CtgyPurp>	[0..1]	* Placing the tag means that either the category code OR the category identifier must be provided.	
++++Code	<Cd>	[*1..1]	Category code of the instruction type – additional data for SEPA transfers and SEPA Instant Payment. A 4-character code.  CodeSet text{4,4}	Sample values: DIVI OTHR TAXS
++++Proprietary	<Prtry>	[*1..1]	Identifier of the instruction type category – additional data for SEPA transfers and SEPA Instant Payment. text{1,35}	A12345
++Amount	<Amt>	[1..1]		
+++InstructedAmount	<InstdAmt>	[1..1]	Amount of the instruction and currency. Decimal separator: . (dot) A maximum of 2 digits after the separator is allowed. Currency code – ISO 4217. Minimum value: 1.00. An exception applies to JPY and HUF, where the minimum value is 100. Amount ISO 4217 XML attribute: Ccy	InstdAmt Ccy="RON">123.70

++ExchangeRateInformation	<XchgRateInf>	[0..1]		
+++ContractIdentification	<CtrctId>	[0..1]	<p>The field specifies the indicator of a negotiated transaction for foreign transfers. The field does not apply to Sent and Regis transfers, SEPA Instant Payments, Intra-Bank transfers and PLN Foreign Transfers to Poland:.</p> <p>true = negotiated transaction false = non-negotiated transaction</p> <p>If the field is missing in the file, the transaction is not negotiated by default.</p> <p>text{1,35}</p>	Allowed values: true false
++ChargeBearer	<ChrgBr>	[0..1]	<p>Cost clause, field ignored for Sent and Regis transfers, Intra-Bank transfers and PLN Foreign transfers to Poland. A clause provided at the individual transaction level overrides this value.</p> <p>If an foreign transfer is declared and the field is missing, the value SHA is applied.</p>	Allowed values: DEBT CRED SHAR SLEV
++UltimateDebtor	<UltmtDbtr>	[0..1]	<b>Note:</b> the field is currently not supported. The Bank will announce its availability in a communication.	
+++Name	<Nm>	[1..1]	Ultimate debtor name text{1,70}	Company name
+++PostalAddress	<PstlAdr>	[0..1]		
++++StreetName	<StrtNm>	[0..1]	Ultimate Debtor's street name text{1,70}	Świętokrzyska
++++BuildingNumber	<BldgNb>	[0..1]	Ultimate Debtor's building number	36

			text{1,16}	
++++Room	<Room>	[0..1]	Ultimate Debtor's room number text{1,70}	5
++++PostCode	<PstCd>	[0..1]	Ultimate Debtor's postal code text{1,16}	02-515
++++TownName	<TwnNm>	[0..1]	Ultimate Debtor's city text{1,35}	Warszawa
++++Country	<Ctry>	[0..1]	Ultimate Debtor's country ISO 3166, Alpha-2 code	PL
+++Identification	<Id>	[0..1]		
++++OrganisationIdentification	<OrgId>	[1*..1]	*Placing the tag means that at least one identifier must be provided. It is possible to provide two identifiers within <OrgId>, for example LEI and CUI.	
+++++LEI	<LEI>	[1*..1]	LEI code is a 20-character alphanumeric unique identifier of a legal entity.  LEI field specification: [A-Z0-9]{18,18}[0-9]{2,2} ISO 17442 standard.  Allowed characters a b c d e f g h i j k l m n o p q r s t u v w x y z A B C D E F G H I J K L M N O P Q R S T U V W X Y Z  0 1 2 3 4 5 6 7 8 9 ISO 17442	14930014UKLVMY22 DS11
+++++Other	<Oth>	[1*..1]		
+++++Identification	<Id>	[1*..1]	Other identifier of a legal entity, e.g., CUI. text{1,35}	52054532

++++PrivateIdentification	<PrvtId>	[*1..1]		
+++++Other	<Othr>	[*1..1]		
+++++Identification	<Id>	[*1..1]	Other identifier of a natural person, e.g. CNP text{1,35}	2950512301234
++CreditorAgent	<CdtrAgt>	[1*..1]	*Field required for foreign transfers, excluding SEPA and SEPA Instant Payments.	
+++FinancialInstitutionIdentification	<FinInstnId>	[1..1]		
++++BICFI	<BICFI>	[1*..1]	SWIFT code, 8 or 11 characters.	BPKOROBU
++++ClearingSystemMemberIdentification	<ClrSysMmbld>	[1*..1]		
+++++MemberIdentification	<Mmbld>	[1..1]	ABA/FW code (routing number) – 9-digit code identifying a financial institution in the USA. text{1,35}	063100277
++Creditor	<Cdtr>	[1..1]		
+++Name	<Nm>	[1..1]	Name of the transfer beneficiary text{1,70}	Company name
+++PostalAddress	<PstlAdr>	[1..1]	<b>Note:</b> 1. In the case of Intra-Bank transfers and PLN Foreign transfers to Poland, the PostalAddress block is not required. All provided data will be ignored. 2. In the case of all other types of transfers, the PostalAddress block is required.	
++++Department	<Dept>	[0..1]	Department text{1,70}	Department
++++SubDepartment	<SubDept>	[0..1]	SubDepartment text{1,70}	SubDepartment
++++StreetName	<StrtNm>	[0..1]	Street name text{1,70}	Świętokrzyska
++++BuildingNumber	<BldgNb>	[0..1]	Building number text{1,16}	36
++++BuildingName	<BldgNm>	[0..1]	Building name text{1,35}	SkySawa

++++Floor	<Flr>	[0..1]	Floor number text{1,70}	2
++++PostBox	<PstBx>	[0..1]	P.O. Box text{1,16}	123 99-515
++++Room	<Room>	[0..1]	Room number text{1,70}	11
++++PostCode	<PstCd>	[0..1]	Postal code text{1,16}	99-515
++++TownName	<TwnNm>	[1..1]	City name 1. In the case of Intra-Bank transfers and PLN Foreign transfers to Poland, the field is not required, provided that no other tag in the PostalAddress block has been filled in. 2. In the case of all other types of transfers, the field is required.  text{1,35}	Warszawa
++++TownLocationName	<TwnLctnNm>	[0..1]	Town Location Name text{1,35}	Warszawa
++++DistrictName	<DstrctNm>	[0..1]	District name text{1,35}	Wola
++++CountrySubDivision	<CtrySubDvsn>	[0..1]	Country Sub Division text{1,35}	Mazowieckie
++++Country	<Ctry>	[1..1]	Country 1. In the case of Intra-Bank transfers and PLN Foreign transfers to Poland, the field is not required, provided that no other tag in the PostalAddress block has been filled in.	PL

			2. In the case of all other types of transfers, the field is required.  CodeSet ISO 3166, Alpha-2 code	
++++AddressLine	<AdrLine>	[0..1]	Address data of the transfer beneficiary. The AddressLine field can currently be used for Intra-Bank transfers and PLN Foreign transfers to Poland.  It is forbidden to use the <AdrLine> tag together with structured fields in the <PstlAdr> block. text{1,70}	Warszawa, 00-116, Świętokrzyska
+++Identification	<Id>	[0..1]	* Placing the tag means that at least one identifier must be provided. It is possible to provide two identifiers within <OrgId>, for example LEI and CUI.	
++++OrganisationIdentification	<OrgId>	[1..1]		
+++++LEI	<LEI>	[0..1]	LEI code is a 20-character alphanumeric unique identifier of a legal entity.  LEI field specification: [A-Z0-9]{18,18}[0-9]{2,2} ISO 17442 standard.  Allowed characters a b c d e f g h i j k l m n o p q r s t u v w x y z	14930014UKLVMY22 DS11

			A B C D E F G H I J K L M N O P Q R S T U V W X Y Z 0 1 2 3 4 5 6 7 8 9 ISO 17442	
+++++Other	<Othr>	[0..1]		
+++++Identification	<Id>	[1..1]	Other identifier of a legal entity, e.g., CUI. Mandatory field for tax transfers to Sent and Regis systems. text{1,35}	52054532
++++PrivateIdentification	<PrvtId>	[*1..1]		
+++++Other	<Othr>	[*1..1]		
+++++Identification	<Id>	[*1..1]	Other identifier of a natural person, e.g. CNP. text{1,35}	2950512301234
+++ContactDetails	<CtctDtls>	[0..1]		
++++EmailAddress	<EmailAdr>	[0..1]	It is possible to provide an email address to which the PDF confirmation of the executed transfer will be sent. You can add up to 5 addresses, separating them with a comma.	name@pkobp.pl, name2@pkobp.pl
++++EmailPurpose	<EmailPurp>	[1..1]	The field specifies the correspondence language for the transfer confirmations. A 2-letter ISO country code must be entered. Only one value can be provided.	RO
++CreditorAccount	<CdtrAcct>	[1..1]		
+++Identification	<Id>	[1*..1]	* It is required to fill in either the <IBAN> tag or the <Id> tag. You cannot provide both values.	

++++IBAN	<IBAN>	[1*..1]	Beneficiary's account number IBAN (ISO 13616)	RO11BPKO00001111 22223333
++++Other	<Othr>	[1*..1]		
+++++Identification <Id>	<Id>	[1*..1]	An account number in a format other than IBAN. Applies to foreign transfers sent to countries that use a different bank account format. text{1,35}	
++UltimateCreditor	<UltmtCdtr>	[0..1]	<b>Note:</b> this field is currently not supported. The bank will inform you in a communication when it becomes available.	
+++Name	<Nm>	[1..1]	Ultimate Creditor name text{1,70}	Company name
+++PostalAddress	<PstlAdr>	[0..1]		
++++StreetName	<StrtNm>	[0..1]	Ultimate Creditor's street name text{1,70}	Świętokrzyska
++++BuildingNumber	<BldgNb>	[0..1]	Ultimate Creditor's building number text{1,16}	36
++++Room	<Room>	[0..1]	Ultimate Creditor's room number text{1,70}	5
++++PostCode	<PstCd>	[0..1]	Ultimate Creditor's postal code text{1,16}	00-116
++++TownName	<TwnNm>	[0..1]	Ultimate Creditor's city text{1,35}	Warszawa
++++Country	<Ctry>	[0..1]	Ultimate Creditor's country ISO 3166, Alpha-2 code	PL
+++Identification	<Id>	[0..1]	* Placing this tag indicates the requirement to provide at least one identifier. It is possible to provide two identifiers within the <OrgId> tag, for example LEI and CUI.	
++++OrganisationIdentification	<OrgId>	[1..1]		
+++++LEI	<LEI>	[1*..1]	LEI code is a 20-character alphanumeric unique identifier of a legal entity.	14930014UKLVMY22 DS11

			LEI field specification: [A-Z0-9]{18,18}[0-9]{2,2} ISO 17442 standard.  Allowed characters a b c d e f g h i j k l m n o p q r s t u v w x y z A B C D E F G H I J K L M N O P Q R S T U V W X Y Z  0 1 2 3 4 5 6 7 8 9 ISO 17442	
+++++Other	<Othr>	[1*..1]		
+++++Identification	<Id>	[1*..1]	Other legal entity identifier, e.g. CUI text{1,35}	52054532
++++PrivatIdentification	<PrvtId>	[1*..1]		
+++++Other	<Othr>	[1*..1]		
+++++Identification	<Id>	[1*..1]	Other natural person identifier, e.g. CNP text{1,35}	2950512301234
++Purpose	<Purp>	[0..1]		
+++Code	<Cd>	[1..1]	Purpose code of the instruction. Additional information for SEPA transfers and SEPA Instant Payments specifying the reason for the transaction.  The code must be 4 characters long.  ExternalPurpose1Code	Sample values: TAXS PENS SPLT
++RegulatoryReporting	<RgltryRptg>	[0..1]	<b>Note:</b> this field is currently not supported. The bank will inform you in a communication when it becomes available.	
+++Details	<Dtls>	[0..1]		

++++Information	<Inf>	[0..1]	Payment purpose code. Required for transfers to certain countries, including: UAE, Myanmar, Malaysia, Bahrain. Also required for transactions in CNY.  Up to 3 codes may be provided, separated by commas.  text{1,35}	Sample values: ACM 12400
++RelatedRemittanceInformation	<RltdRmtInf>	[0..1]		
+++RemittanceIdentification	<RmtId>	[1..0]	ANAF code, for Sent and Regis tax transfers.  text{1,35}	99912345678900123 456789
++RemittanceInformation	<RmtInf>	[1..1]		
+++Unstructured	<Ustrd>	[1*..1]	Transfer title. For transfers to, among others, UAE, Bahrain, China, Malaysia – additional information is provided in the next section. <b>Note:</b> In the case of tax transfers to Sent and Regis system, the field may contain a maximum of 89 characters. text{1,140}	Payment of an invoice

## Example of CreditTransferTransactionInformation <CdtTrfTxInf>

```
<CdtTrfTxInf>
  <PmtId>
    <InstrId>A12345</InstrId>
    <EndToEndId>NOTPROVIDED</EndToEndId>
  </PmtId>
  <PmtTpInf>
    <SvcLvl>
      <Prtry>12</Prtry>
    </SvcLvl>
  </PmtTpInf>
  <Amt>
    <InstdAmt Ccy="RON">123.70</InstdAmt>
  </Amt>
  <Cdtr>
    <Nm>Company name</Nm>
    <PstlAdr>
      <StrtNm>Blvd. Iancu de Hunedoara</StrtNm>
      <BldgNb>48</BldgNb>
      <PstCd>011745</PstCd>
      <TwnNm>Bucuresti</TwnNm>
      <Ctry>RO</Ctry>
    </PstlAdr>
  </Cdtr>
  <CdtrAcct>
    <Id>
      <IBAN> RO00XXXX0000111122223333</IBAN>
    </Id>
  </CdtrAcct>
  <RmtInf>
    <Ustrd>Payment of an invoice</Ustrd>
  </RmtInf>
</CdtTrfTxInf>
```

## Other information

### Payment purpose code — transfers sent to certain countries

Additional requirements for transfers to the UAE (United Arab Emirates), Malaysia, Bahrain, Myanmar (Burma), and China. When making transfers to the above-mentioned countries, it is required to specify the appropriate payment purpose code in the transfer title:

<Ustrd>INVOICE 123456 /GDS/ </Ustrd>

NOTE: Remember to include the payment purpose code to avoid the transfer being rejected.

The code must be placed between slashes, e.g., /GDS/. You may provide up to 3 codes, separating them with spaces, e.g. /GDS/ /ATS/ /FIS/

You can obtain the list of codes from your Advisor.

### Collective booking

The format allows specifying the booking type of the batch. The parameter is located at the payment block level. If the field is not present in the file, the system will by default mark the batch as booked analytically.

Name	XML Tag
+PaymentInformation	<PmtInf>
(...)	
++BatchBooking	<BtchBookg>

Possible values for the <BtchBookg> field:

false – analytical booking

true – collective booking

## Negotiated transactions

The format allows specifying whether an foreign transfer should be executed using a negotiated exchange rate. The field does not apply to Intra-Bank transfers, Sent and Regis transfers, SEPA Instant Payments or PLN Foreign Transfers to Poland. If the field is not present, the transaction is not negotiated by default.

Name	XML Tag
+CreditTransferTransactionInformation	<CdtTrfTxInf>
(...)	
++ExchangeRateInformation	<XchgRateInf>
+++ContractIdentification	<CtrctId>

Possible values:

true = negotiated transaction

false = non-negotiated transaction

## LEI of the transfer beneficiary

The LEI code is becoming an increasingly commonly used identifier of a legal entity when executing transfers. It is a 20-character company number recognized within the EU.

Name	XML Tag
+CreditTransferTransactionInformation	<CdtTrfTxInf>
(...)	
++Creditor	<Cdtr>
(...)	
+++Identification	<Id>
++++OrganisationIdentification	<OrgId>
<b>+++++LEI</b>	<b>&lt;LEI&gt;</b>

LEI field specification: [A-Z0-9]{18,18}[0-9]{2,2}

Value compliant with ISO 17442.

Allowed characters:

abcdefghijklmnopqrstuvwxyz

ABCDEFGHIJKLMNOPQRSTUVWXYZ

0123456789

Applies to foreign transfer, Sent and Regis transfers.

## Email address for transfer confirmation

It is possible to provide an email address to which the confirmation of the executed transfer will be sent.

Name	XML Tag
+CreditTransferTransactionInformation	<CdtTrfTxInf>
(...)	
++Creditor	<Cdtr>
(...)	
+++ContactDetails	<CtctDtIs>
<b>++++EmailAddress</b>	<b>&lt;EmailAdr&gt;</b>

You can provide up to 5 addresses. The field allows entering email addresses. Email addresses must be separated by a comma ","

e.g. [name@pkobp.pl](mailto:name@pkobp.pl), [name2@pkobp.pl](mailto:name2@pkobp.pl)

## Useful links

Information on transfers - [Documents and information - PKO Bank Polski Sucursala București](#)

Information on ISO 20022 (PL) - <https://www.pkobp.pl/korporacje/pomoc-kontakt/iso-20022>

Payment Service Providers (payments "on behalf of") - <https://www.pkobp.pl/en/ipko-biznes-online-banking/payment-service-providers>

SWIFT codes (instruction category code, instruction purpose code) - <https://www.iso20022.org/catalogue-messages/additional-content-messages/external-code-sets>

## Sent transfer example

```
<?xml version="1.0" encoding="UTF-8"?>
```

```
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.09" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
```

```
  <CstmrCdtTrfInitn>
```

```
    <GrpHdr>
```

```
      <MsgId>A12345</MsgId>
```

```
      <CreDtTm>2026-03-19T10:10:02</CreDtTm>
```

```
      <NbOfTxs>1</NbOfTxs>
```

```
      <InitgPty>
```

```
        <Nm>PKO Bank Polski</Nm>
```

```
      </InitgPty>
```

```
    </GrpHdr>
```

```
    <PmtInf>
```

```
      <PmtInflId>A1234</PmtInflId>
```

```
      <PmtMtd>TRF</PmtMtd>
```

```
      <BtchBookg>>false</BtchBookg>
```

```
      <PmtTplInf>
```

```
        <SvcLvl>
```

<Prtry>12</Prtry>  
</SvcLvl>  
</PmtTpInf>  
<ReqdExctnDt>  
<Dt>2026-03-20</Dt>  
</ReqdExctnDt>  
<Dbtr>  
<Nm>PKO Bank Polski</Nm>  
</Dbtr>  
<DbtrAcct>  
<Id>  
<IBAN>RO00BPKO0000111122223333</IBAN>  
</Id>  
</DbtrAcct>  
<DbtrAgt>  
<FinInstnId>  
<BICFI>BPKOROBUXXX</BICFI>  
</FinInstnId>  
</DbtrAgt>  
<CdtTrfTxInf>  
<PmtId>  
<InstrId>A12345</InstrId>  
<EndToEndId>NOTPROVIDED</EndToEndId>  
</PmtId>  
<Amt>  
<InstdAmt Ccy="RON">2.01</InstdAmt>  
</Amt>  
<Cdtr>  
<Nm>Company name</Nm>  
<PstlAdr>

```

        <TwnNm>Bucuresti</TwnNm>
    <Ctry>RO</Ctry>
    </PstlAdr>
    <Id>
        <OrgId>
            <LEI>14900000UDLVMY22KS22</LEI>
            <Othr>
                <Id>52054532</Id>
            </Othr>
        </OrgId>
    </Id>
</Cdtr>
<CdtrAcct>
    <Id>
        <IBAN>RO11XXXX0000111122224444</IBAN>
    </Id>
</CdtrAcct>
<RmtInf>
    <Ustrd>Payment title</Ustrd>
</RmtInf>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfInItN>
</Document>

```

## SEPA transfer example

```
<?xml version="1.0" encoding="UTF-8"?>
```

```
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.09" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
```

```
<CstmrCdtTrfInitn>
  <GrpHdr>
    <MsgId>A12345</MsgId>
    <CreDtTm>2026-03-10T16:10:02</CreDtTm>
    <NbOfTx>1</NbOfTx>
    <InitgPty>
      <Nm>PKO Bank Polski</Nm>
    </InitgPty>
  </GrpHdr>
  <PmtInf>
    <PmtInflId>A1234</PmtInflId>
    <PmtMtd>TRF</PmtMtd>
    <BtchBookg>false</BtchBookg>
    <PmtTpInf>
      <InstrPrty>NORM</InstrPrty>
      <SvcLvl>
        <Prtry>7</Prtry>
      </SvcLvl>
    </PmtTpInf>
    <ReqdExctnDt>
      <Dt>2026-03-12</Dt>
    </ReqdExctnDt>
    <Dbtr>
      <Nm>PKO Bank Polski</Nm>
    </Dbtr>
    <DbtrAcct>
      <Id>
        <IBAN>RO00BPKO0000111122223333</IBAN>
      </Id>
    </DbtrAcct>
```

```
<DbtrAgt>
  <FinInstnId>
    <BICFI>BPKOROBUXXX</BICFI>
  </FinInstnId>
</DbtrAgt>
<ChrgsAcct>
  <Id>
    <IBAN>RO00BPKO0000111122223333</IBAN>
  </Id>
</ChrgsAcct>
<CdtTrfTxInf>
  <PmtId>
    <InstrId>A12345</InstrId>
    <EndToEndId>NOTPROVIDED</EndToEndId>
  </PmtId>
  <PmtTpInf>
    <InstrPrty>NORM</InstrPrty>
    <SvcLvl>
      <Prtry>7</Prtry>
    </SvcLvl>
    <CtgyPurp>
      <Cd>OTHR</Cd>
    </CtgyPurp>
  </PmtTpInf>
  <Amt>
    <InstdAmt Ccy="EUR">55.55</InstdAmt>
  </Amt>
  <XchgRateInf>
    <CtrctId>true</CtrctId>
  </XchgRateInf>
```

<ChrgBr>SHAR</ChrgBr>  
<Cdtr>  
 <Nm>Company name</Nm>  
 <PstlAdr>  
 <Dept>Finance Department</Dept>  
 <SubDept>International Payments SubDepartment</SubDept>  
 <StrtNm>Avenue des Lila</StrtNm>  
 <BldgNb>11</BldgNb>  
 <BldgNm>SkySawa</BldgNm>  
 <Flr>22</Flr>  
 <PstBx>333 33-333</PstBx>  
 <Room>44</Room>  
 <PstCd>55-555</PstCd>  
 <TwnNm>Paris</TwnNm>  
 <TwnLctnNm>6th Arrondissement</TwnLctnNm>  
 <DstrctNm>Paris</DstrctNm>  
 <CtrySubDvsn>Île-de-France</CtrySubDvsn>  
 <Ctry>FR</Ctry>  
 </PstlAdr>  
 <Id>  
 <OrgId>  
 <LEI>14900000UDLVMY22KS22</LEI>  
 </OrgId>  
 </Id>  
</Cdtr>  
<CdtrAcct>  
 <Id>  
 <IBAN>FR76300011119000020418012391</IBAN>  
 </Id>  
</CdtrAcct>

```
<Purp>
  <Cd>SPLT</Cd>
</Purp>
<RmtInf>
  <Ustrd>Payment for invoice no. 123</Ustrd>
</RmtInf>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfInItm>
</Document>
```